

1907

(Manuscript)

File No 267-07

Serial Nos. 1-2

Later references.

and 267-07 (3516)

GENERAL AND REVENUE SECRETARIAT.

Serial Nos 1 & 2

Part B for January 1907

SUBJECT

Water supply & Khasra

From the Board of Rs. 379 8/9
Requests that the work of making the storage
Reservoir water tight may be or to be completed -
the cost thereof being Rs. 2500/- from the Khasra
and B.D. at Rs. 2500/- a year

To the Chief Engr., Comptroller & Secy to Govt.
Sanction the estimate - Rs. 2500/- a year; Rs. 570/-
requests the ch. Engr. to have the work completed
G. R. Secy & to have the D.W. Board grant - as per bill
paid for the current year of Rs. 6970/- which amount will
be added as an additional grant to the current year's budget -
Khasra and B.D. for the closing balance as per
to.

1907/8

GENERAL AND REVENUE SECRETARIAT

(Mamurath)

NOTES

File No *267*

FILE HEADING

Water Supply to Nanjangud

From

*The President of the Mullis, Mysore Dist.*No *319* Dated *9 11 07* Received *21 11 1907*Diary No *3448*Enclos *1* File Spare CopiesSerial No *1*

BRIEF ABSTRACT OF LETTER.

Requests that the work of making the Storage Reservoir water tight may be ordered to be carried the cost thereof being recovered from the Mysore and District Bd at Rs 2,500/a year

NOTES AND ORDERS

W

In G.O. No 8112-3 Ml 495-05-7 of the 12th March 1907 it was ordered that the Municipal Bd of Nanjangud should find funds for repairing the Storage Reservoir

Notes - First sheet

GPI-30401 20-2-07

The

Ml File No. 267 of 1907

Serial
No

The Municipal Board have resolved that the work may be put on hand, the cost being met from the closing balance for the current financial year in favour of the Board, but the President has recommended that the cost of the work may be recovered from the Municipal Board at Rs 2500 a year (the cost of the work is estimated at Rs 1590) on the ground that it is objectionable to incur any expenditure from the closing balance. The President's recommendation involves the gross consideration of the question of granting a loan to the Municipal Board for which there is no necessity whatever as will be shown from the Budget estimates of the Municipality for the current financial year.

File No. 267 of 1907

Serial
No

Opening balance Rs 75 33
Receipts 14,740
Total 22,273
Deduct Expenditure 15,614
Closing balance 6659

As per preliminary accounts of the Comptroller for 1907, the closing balance for that year in favour of this Board is Rs 1386 9-3-7 which if substituted for the figures entered as the Opening balance in current year's budget, raises the closing balance from Rs 6659 to Rs 12995 10-10-0 and this is in excess of the authorized minimum balance ($\frac{1}{4}$ of the estimated receipts) by Rs 9310/- and it can admit the Comptroller's report in question.

2 At the meeting held on the 2nd August 1907, the Municipal Board made certain observations on the estimate in question. The

Serial
No

President ignores the Board's remarks on the ground that the estimate was prepared by "the professional Agency." A satisfactory reply meeting their objections ~~should~~ should have been given to the Board. On the above resolution the opinion of the Chief Engineer ^{maybe} ~~is~~ ^{is} worked out officially. 3 The Financial Branch has to be consulted in the matter of "additional grant of Rs 5907."

4 If the P.W.D. has to carry out the work on a sum of Rs 1,062 for establishment charges and 'tools & plant' at 18% on the cost of the work has to be sanctioned.

5 Submitted for order
H6/119 6 As the work has
25 11 07 to be carried out during
the current financial year

For II will please note whether the cost maybe met from the closing balance in favor of the drainage (Rs 4.2)

for Mr 27/11
ans 14/11

22. mis 479

File No. 267 of 1907

Serial
No.

Submitter.

7 It is true that, according to the Bank's figures, the closing balance (Rs. 12995) is in excess of the prescribed minimum by Rs. 9,310. [And, in the reference from No. 11 in regard to improve the sanitation of the Nanyangpu municipality some money is recommended to be utilized out of this closing balance. If, after meeting the latter there is still a sufficient surplus of the closing balance to meet the prescribed demand, there is no financial objection.]

H.S.

28.11.07.

WV

8 I shall be obliged if the reason for the large differences between the closing balance of the past year and the closing balance of the current year as per Comptroller's books and as per figures in the statement is kindly explained to me. It is probably an account of such large differences that full estimates of expenditure during the year cannot be made and the necessity for supplemental estimates.

] These
particulars were
corrected out by
the Comptroller
on 10/12/07

File No. 267 of 1907

Serial
No.

Submitted

Transferred Monthly

Items	Estimate for 1906-07	Actuals for 1906-07	Estimate for 1907-08	Remarks
Opening balance	7,840	7,840	13,713	A Actuals have been given
Receipts	9,710	13,260	14,750	B Due to business under Order of 1906
Total	17,550	21,100	28,463	
Deduct Expenditure	10,016	7,387	15,614	
Closing balance	7,534	13,713	6,659	
			12,839	

In preparing the budget estimates of one year the closing balance as per the Bar of the previous year as per Budget estimates for that year ^{is given} adopted as the opening balance. This is the practice obtaining in the Budgets of the Provinces. The Provinces are not required to relinquish funds that are not required for expenditure during the year. This chiefly accounts for the large differences between the budgeted figures & those of the Comptroller. In the present case

30 Dec 479

File No. 267 of 1907

Serial
No.

Case it is clear from the above
Statement that the excess in the
opening balance was due to revenue
receipts & to the grants under expan-
diture not having been fully utilized

H.B. smg 16 Dec 1907

4.12.1907

83
9/12/07

Submitted

// The difference between the
estimated closing balance of any year &
the actual opening balance of the succeeding
year will, probably, be reduced to a minimum
+ fuller estimates of Expenditure
for the latter year could be made; if
Rule 30 of the Financial rules are
applied to these funds as well. The
President should surrender, not later than
the 1st May, the grants not likely to
be utilized before the expiry of the year.
With proper estimates, cases for additional
grants can be reduced or limited to very
urgent ones.

K.S. 12 There is no financial
objection ~~sanction~~ a
supply

Flours 622

G R S 12]
General and Revenue
Secretariat

File No. 267 of 1907

Serial
No.

in the circumstances represented -
13 The point raised in the above notes is
one for consideration in the Administrative
line branch -

TV. H.A.S. 52.4/12

11 12/12

The additional grant that has
to be sanctioned is 6970/ (Rs. 5970
cost of the work + 1063 Est. & incidental
charges @ 15%). Attention is directed
to para 2 of the order.

H.C. 15/5097 Subs to the 1st Committee

17.12.07

23

17/12/07

may be
Draft prepared this 22/12/07

I enclose H.R. 24/12/07

Dewan

CSB
24/12

C 212
23-12-07

9

GENERAL AND REVENUE SECRETARIAT

Council Matter.

SUBJECT

Repairs to the water supply Storage tank of
Nanjangud.

CIRCULATED TO COUNCILLORS

By Order,

C. Bala Sundaram
Offg. Secretary

23rd December 1907.

T Ananda Row, Esq., B.A.,

First Councillor.

Seen by the First Councillor.

K. P. Puttanna Chetty, Esq.,

Second Councillor.

Seen by the 2nd Cn

7433
25-12-07

Submitted to His Highness.

An additional grant of Rs. 6,970/- may be sanctioned in the current year's Budget Estimates of the Nanjangood Municipality, by re-
tention of the closing balance, to meet the cost of repairing the water supply storage tank of the Municipality.

R 95710 110 am

21/10/8

Order for the Orders
Maharaja

File relating to
the sanitary improvement
of Benaulpatan
Municipality separated
from the file -

Rs 6970/- to the
the current year
including the water supply
fact.

By
6/1/00

21/10/8

Issue
21/10/8

12
No. 267 of 1907-08

Serial
No.

2

To The Chief Engineer of Mysore,
The Comptroller & the President
of Municipalities Mysore
No 6440-2 of 8.1.08

Sanctions the estimate received
with sl 1, for Rs 5,907/- Requests
the Chief Engineer to have the
work carried out early and to
raise the Pw Budget Grant under
Municipal Funds for the current year
by Rs 6,970/- which amount
will be treated as an additional
Grant to the current year's charges
of the Nanjangud Municipality
from the closing balances and
favors of the Municipalities.

Seen

H.M.

31/1/08

Seen
H.M.
H.M.

G R S. 15]

Facing sheet for
Cases included in
the schedule ap-
pended to Notifi-
cation No 36 of
the 8th Aug 1902.

GENERAL AND REVENUE SECRETARIAT

Subj: Repairs to the water supply Storage tank of
Nanjangud.

	Date	Initial of Officer himself or responsible Deputy
Received in the Secretariat . .	21 11 07	
Submitted to Secretary . .	11-12-07	
Submitted by Secretary to ~~Dewan~~ Councillor in charge	17-12-07	
Returned to Secretary .	22 12 07	
Circulated by Secretary for Council	23-12-07	
Forwarded by 1 st Councillor . .	Seen by Clk	
Forwarded by 2 nd Councillor . .	24.12.07	
Received in Secretariat . .	24.12.07	
Considered in Council . .		
Submitted to the Dewan .	24.12-07	
Submitted to His Highness . .	27 12 07	
Orders passed by His Highness . .		
Final Orders issued . .		
Circulated to Councillors .		
Passed on by the Councillor .		
Returned to Secretary by Councillor...		

190

From *By* *Di* *10/16*
The President of the Board
Board of Directors

To The Secretary to the Board
of Directors
Rm. 4th Fl. Dept.

Dated *9* *16* *June* *1907* *By*
Despatched

Received

General No. *By*
No.

Enclosure No. *Four*

Regarding the lack of
storage tank in use as
Is 127C

as the estimate has been made by the professional Agency, the Board was asked to give its opinion as to how it would propose to meet the cost. It was resolved on the 30th September 1907 that the estimated cost might be paid from the closing balance for the current year. Extracts from the above proceedings are herewith enclosed. The supply of good drinking water to Nampungui Town is no doubt an urgent and a necessary thing. Recently, as per Sanitary Commissioner's suggestion, the Amulwar of the lake was asked to sink a few wells close to the Kapila River in the town. He reported that there was ^{no} probability of tapping fresh water, besides that the well would have to reach a depth of about 40 feet. Under the

above

be given permission to represent their views regarding the project for repairing the storage tank as follows: -

The Chief Complaint with reference to this tank is that the bed consists of disintegrated and porous strata which makes it unfit to store up any water which readily finds its way through bottom. Any remedial measures have therefore to be applied to the bed. The bund is alright, and has never been leaky. It is strong and not eroded by the action of waves, for the last many years. The time at which storage is required viz. February and March is such that there is not much wind and the position of the tank is also such as not to subject it to much wind or waves. It is for this reason that the bund remains fresh as it was when it was first put up. No protection to it in
the

the shape of clay lining or
pavement is therefore required.
The bund and the bed consist
of good gravelly soil and so
no gravel backing is also necessary.
The portions of the estimate
referring to gravelling and
pavement are therefore not
required nor the clay lining
to the bund which is not likely.

Clay may be tried for the bed,
but we beg to submit that
the rate provided is too high.
Gravel can be had in the bed
itself and clay with the radius
of half a mile.

With these observations the
board accepts the proposal for
the bed.

2.8.1907 (Sd) S. Dharwad Rao
Vice-President

MK
11/12/07

5 at the rate of Rs 2500 a year on the ground that the Board's proposal to meet the same from the closing balance is in its favour is opposed to standing orders

Order thereon No 6440-2 D 8.1.08.
ml 26707

The estimate received with the above is sanctioned for Rs 5907.

2 The Chief Engineer is requested to arrange have the work carried out early and ~~completing~~ to place the P.W. Bridge Grant under annual funds for the current year by Rs 6970, which includes the cost of the estimate in question and the establishment and 'Tools and Plant' charges thereon @ 18% amounting to Rs 1063.

G.R.S. 27]

GENERAL AND REVENUE
SECRETARIAT

(Continuation Sheet draft form)

3 As the work is urgent, the account required for viz Rs 6970 will be treated as an additional grant to the current budget of the Nangpur Municipality from the closing balance in favour of the Municipal Board

A copy of the Nangpur Municipal Board's Proⁿ of 2nd August 1907 making certain observations on the project is forwarded to the Chief Engineer for consideration and such action as he may deem necessary. 17/12/07

- 1. The Chief Engineer of Nagpur Dist. The Municipal Engineer with plan & report
- 2. To the Chief Engineer with a copy of the Municipal Board's Proⁿ
- 3. President of the Municipal Board Nagpur Dist his office copy

17/12/07

17/12/07

17/12/07